

ROSEVILLE PUBLIC CEMETERY DISTRICT MARKER REQUIREMENTS

These requirements are structured to assist in preserving the original beauty of markers. When ordering either a flat or upright marker for your loved one's grave, please keep in mind the following:

- Markers may not be placed until the grave and endowment care fees are paid.
- Marker may not be placed in DES or DNE until the 1st inurnment has taken place.
- It is the responsibility of the Family and Monument Company to make sure all spelling and dates are correct.
- Prior to the Roseville Public Cemetery District repurchasing a grave, markers must be removed at the owner's expense.
- Permission and verification must be obtained from the cemetery before a marker can be installed. Only companies previously approved by the District may set markers or perform any work on District grounds.
- Markers are the property of the purchaser, who shall be responsible for any repairs or maintenance to such markers.
- The District reserves the right to remove/repair any marker deemed unsafe.
- Flat markers are permitted throughout the cemetery, required in the American Legion area, and must set flush with or below surrounding ground level.
- Upright markers are permitted in the following areas **only**:
Blocks A, B, C, D, 1-5, 11, 14-20, Block 8, Rows 1-21 Block 9, Rows 16-18 and 25-27
(Excluding INFANT, AMERICAN LEGION, & ½ GRAVES)
- An upright marker can not exceed 36" from the ground and must be pinned and epoxied (glued) to their bases.
- All markers must be set in concrete with a mandatory 2" wide concrete border on all four sides to protect the marker. A 6" wide border is required for flower vases.
- All markers placed at the head of the grave must contain a flower vase.
- A second marker can only be a flat (single grave size) marker, and must be placed in the middle of a grave. Flower inserts, vases, and decorations are not allowed to be placed on a second marker.
- The District assumes no liability for damage, theft, deterioration, and/or vandalism of markers.

THE FOLLOWING MAXIMUM DIMENSIONS INCLUDE THE CONCRETE BORDER.

FOUNDATION NOT TO EXCEED 5" THICK ON UPRIGHT MARKERS & 4" THICK ON FLAT MARKERS

FLAT MARKERS:

Single grave: 32" L x 24" W

Double grave: 60" L x 24" W

INFANT MARKERS:

Single grave: 20" L x 18" W *Length*

Approved 2/7/1979

Width

UPRIGHT MARKERS:

Single grave: 36" L x 24" W

Double grave: 70" L x 24" W

BLOCK 9 ROWS 16-18 and 25-27:

Single grave: 32" L x 24" W

Double grave: 60" L x 24" W